

Shenzhen Gisantone Technology Co.,Ltd

No.30th, West Road of Shibi, Liulian, Pingdi town, Longgang
District, Shenzhen, China. 518117
Tell : 0086 0755 89390978 Fax : 0086 0755 89390979



Product Name 698/2700MHz 5/7DBI Rubber Antenna
Model No. G15528C

- ✓ Indoor Omni 4G Rubber Antenna
- ✓ Frequency band 698-960/1710-2700MHz
- ✓ Gain 5/7DBI
- ✓ 1 * SMA male connector



Shenzhen Gisantone Technology Co.,Ltd

No.30th, West Road of Shibi, Liulian, Pingdi town, Longgang
District, Shenzhen, China. 518117
Tell : 0086 0755 89390978 Fax : 0086 0755 89390979



Electrical Specifications

Model No.	G15528C
Frequency Range	698-960/1710-2700MHz
Gain	5/7dBi
VSWR	≤2.0
Input Impedance	50Ω
Polarization	Vertical
Horizontal Half Power Angle	360°
Vertical Half Power Angle	85°
Max Input Power	50W
Lightning Protection	DC Ground

Mechanical Specifications

Working Temperature	-40°C~ + 65°C
Connector Type	SMA-male
Antenna Weight	48g
Size	Φ14x(375±3)mm
Color	Black
Package Size	/
Weight	/



Shenzhen Gisantone Technology Co.,Ltd

No.30th, West Road of Shibi, Liulian, Pingdi town, Longgang District, Shenzhen, China. 518117

Tell : 0086 0755 89390978 Fax : 0086 0755 89390979



3



测试频率: 1800
测试时间: 2013-9-2
测试平面: 水平面主极化
极化方式: 垂直
峰值电平: -47.28
3dB宽度: 0.00
前后比值: 1.91
比增益: -15.97
TCH(0): -47.28

测试频率: 1800
测试时间: 2013-9-2
测试平面: 垂直面主极化
极化方式: 水平
峰值电平: -48.36
3dB宽度: 52.24
左一瓣: 7.64
左二瓣: 13.37
左一零深: 25.36
右一瓣: 3.47
右二瓣: 3.21
天线倾角: -165.54

Gain: 3.99

Shenzhen Gisantone Technology Co.,Ltd

No.30th, West Road of Shibi, Liulian, Pingdi town, Longgang
District, Shenzhen, China. 518117

Tell : 0086 0755 89390978 Fax : 0086 0755 89390979

